









⚠	⚡	IP X 4	⚠
Jung „WG 800“	Art.-Nr.: 8220W		
Busch Jäger „ocean“	Art.-Nr.: 20/2 EW-53		
Merten „Aquastar“	Art.-Nr.: AP 239039		
Legrand „Plexo“	Art.-Nr.: 69742		







TECElux
+
TECEone









PWH
warm
hot
chaud
caliente
caldo
ciepła
теплый













PWC
kalt
cold
froid
frio
freddo
zimna
холодный
















**TECE:**







































TECEprofil - Systemmontageanleitung/system assembling instructions










	Art. Nr.	H Standard	T1 min	T2 min
 O DN 100	9 300 000	1150 (1120 - 1350)	160	210
	9 300 003			
	9 300 009			
	9 300 011			
	9 300 033			
	9 300 044			
	9 300 022	980 - 1080	160	210
	9 300 001	820 - 920	160	210
	9 041 006	970 - 1350	160	210
 O DN 50	9 310 000	1150 (1120 - 1350)	140 (115)	210
	9 310 004			
	9 020 033	820 - 1350	140 (115)	210
	9 020 018			
	9 020 034			
 O DN 50	9 320 002	1150 (1120 - 1350)	140 (115)	170
	9 320 000			
	9 320 001			
	9 020 017			
	9 330 000	1150 (1120 - 1350)	140 (115)	210



PR 230 079 00 d





PR230 252 00 c